


# THE PRINTERS THAT ARE EQUALLY OBSESSED.





Highly regarded among professional photographers, Canon L-Series lenses are distinguished by a bold red ring around the outer barrel.

By combining the use of a Canon camera and an imagePROGRAF PRO Series printer, photographers are able to achieve a unique, input-to-output solution known as Crystal-fidelity.







### **LUCIA PRO INK SYSTEM**

The LUCIA PRO 11-Colour plus Chroma Optimizer ink system can satisfy the demands of the most critical photographer or graphic artist. A dense droplet placement provides a broad colour gamut and the Chroma Optimizer provides improved gloss uniformity for superb colour and anti-bronzing. Incredibly accurate colour reproduction, outstanding image clarity, and enhanced detail in darker areas help distinguish each print. On fine art papers, deep black density renders even the finest shadow detail for a print that becomes a work of art.









### WIDE Colour GAMUT

The microencapsulated LUCIA PRO ink set is tightly arranged on the paper with each print head pass creating a wide colour gamut. The Blue and Magenta inks have been formulated to render brilliant colour when printing vibrant landscapes while the Black inks can capture the finest detail in the darkest areas of your images, bringing them to light.





## 1.28"-WIDE PRINT HEAD

At the heart of the imagePROGRAF PRO Series printers is a 1.28"-wide print head with 18,432 nozzles. Using one print head as opposed to two, the PRO Series is able to achieve faster print speeds.

#### **ANTI-CLOGGING TECHNOLOGY**

Ink ejection conditions are precisely checked with sensors, so if a clog is detected, another nozzle automatically provides backup. In addition to helping prevent wasted prints due to clogging, this also helps reduce the frequency of nozzle cleaning required.

#### NO SWITCHING OF BLACK INKS

On other brands of printers, switching from Matte Black to Photo Black consumes a significant amount of ink and time. The PRO Series is designed to work seamlessly when changing paper types. Matte Black and Photo Black inks have their own dedicated nozzles, so no switching is necessary. You can print on fine art paper then glossy paper with no worries, no changes, and no waste.

#### **MULTI-SENSOR**

All PRO Series devices include a built-in multi-sensor to help ensure colour consistency, not only from one print to the next, but also from one PRO Series device to another. With the included Device Management Console Software, calibrate and monitor up to 50 PRO Series devices with ease on both Canon and non-Canon media, helping to ensure highly consistent colour.

#### **COLOUR CALIBRATION**

Producing the correct colour is paramount when printing high-quality, archival work. The built-in Colour Calibration function uses a multi-sensor to read colour density and automatically calibrate the printer, so that the last print can look as stunning as the first.



# ADVANCED MEDIA HANDLING

#### **MULTIFUNCTION ROLL SYSTEM**

The Multifunction Roll System—standard with the PRO-6100 and optional for the PRO-4100/PRO-2100 printers—can be used in two different ways. First, you can load a second roll of a different media type and size at the same time, allowing automatic switching from matte to gloss paper without interrupting your workflow. Or second, you can configure the printer as a bi-directional Take-up unit.

#### **INTELLIGENT MEDIA LOADING**

For the first time ever, an imagePROGRAF printer can load and recognize paper without the need for human intervention. Simply set the roll holder in the printer, and let the media automatically feed into the printer. The built-in multi-sensor measures the surface reflection and the media thickness to determine the media type.

#### **REMAINING MEDIA ESTIMATION**

Accurately manage the remaining media on a roll, without the need to print a bar code—saving both ink and media.







# **CANON WORKFLOW**













1 IMAGE DATA

**2** PHOTO SOFTWARE

PROFESSIONAL PRINT & LAYOUT

**PRINT** 

# **PROFESSIONAL PRINT & LAYOUT**

Canon's Professional Print & Layout (PPL) workflow software for imagePROGRAF PRO Series printers for professional photo printing delivers enhanced layout settings, intuitive operation, preview, and colour management, all supported in a seamless photo printing experience.

#### **Key features:**

- Can be used as standalone RIP or export module in Adobe<sup>®</sup> Photoshop, Adobe<sup>®</sup> Lightroom, or Canon Digital Photo Professional
- Create and save custom layouts
- Auto nesting
- Crop images
- Soft proofing

- Preview of multiple images at the bottom of the software
- Save presets "Favorite Setting"
- Zoom in and out of images
- Black point compensation



# **ENGINEERED OBSESSED**

#### L-COA PRO

This high-precision control engine performs the high-speed processing of massive amounts of image data, generates the printing data, and controls the optimal ink layout for the purpose of achieving high-resolution prints.

#### **UNIBODY DESIGN**

The unibody structure was engineered to provide a strong platform for stable print head scanning, resulting in precise ink droplet placement. Now it's easier to achieve the perfect combination of speed and high-quality printing.

#### **HIGH-CAPACITY INK TANKS**

Available in 160 ml, 330 ml, and 700 ml ink tanks, you're now given the flexibility to purchase ink based on your printing needs. You can purchase 700 ml Photo Black ink tanks for all those monochrome images and 160 ml Magenta ink tanks for the occasional sunset image. This gives you the power to purchase ink based on the colour frequency at which images are printed.

#### **SUB-INK TANK SYSTEM**

The Sub-Ink Tank System works to remove all the ink in the tank before having to replace it, helping to eliminate any wasted ink. The empty tanks can also be replaced on the fly, without stopping the printer. This is extremely useful during long print jobs.



## PRINTER MANAGEMENT SOLUTIONS

#### Wi-Fi® CONNECTIVITY

Stay connected. Wi-Fi connectivity is standard with the image PROGRAF PRO Series printers.

#### **ACCOUNTING MANAGER**

In today's printing environment, it's more important than ever to understand how much each print job is costing your business. Both  ${\sf Mac}^{\textcircled{\tiny{\$}}}$  and  ${\sf Microsoft}^{\textcircled{\tiny{\$}}}$  compatible, Accounting Manager serves as a powerful feature, used for accurately managing your print costs. With Accounting Manager, you can track the ink and paper consumption of up to 50 printers!

#### **QUICK UTILITY TOOLBOX**

Canon PRO Series printer software and tools can be accessed conveniently from the Quick Utility Toolbox.

#### **DIRECT USB DRIVE PRINTING**

PDF and JPEG files can be directly printed on the imagePROGRAF PRO-6100, PRO-4100, and PRO-2100 printers from a USB thumb drive. Simply input the thumb drive into the USB port on the printer, preview the image on the operation panel, and print! Fast and easy printing without the use of a computer.

#### **DEVICE MANAGEMENT CONSOLE**

The Device Management Console software, ideal for fleet management, lets you perform colour calibrations remotely. You can monitor the printer status of up to 50 units from any location in the world, be notified via e-mail when an error has occurred, or check the amount of ink left in the printers—without ever having to leave the comfort of your desk.



# **LARGE-FORMAT MEDIA**

### **FINE ART**

CANVAS | MATTE | RAG | ENHANCED VELVET | BRIGHT WHITE







### **PHOTOGRAPHIC**

LUSTER | PLATINUM | SATIN | GLOSSY | METALLIC







### SIGN/BANNER/DISPLAY

PEEL AND STICK | FILM | VINYL | WATER RESISTANT BANNER | POLYPROPYLENE








### COATED/BOND

BOND | COATED BOND | RECYCLED BOND | PLAIN PAPER





### imagePROGRAF PRO-6100/4100/2100

#### **TECHNICAL INFORMATION**

PRINT	
Printing Technology	FINE: Full-Photolithography Nozzle Engineering
Head Configuration	12-Channel Integrated Type
Nozzle Configuration	1,536 Nozzles x 12 Channels: 18,432 Total
Minimum Droplet Size	4 Picoliters per Colour
Maximum Print Resolution	Up to 2400 x 1200 dpi
Ink Information	Type: Pigment-Based LUCIA PRO Ink Technology PFI-1100 (160 ml): PBK, MBK, C, M, Y, PC, PM, GY, PGY, R, B, + CO PFI-1300 (330 ml): PBK, MBK, C, M, Y, PC, PM, GY, PGY, R, B, + CO PFI-1700 (700 ml): PBK, MBK, C, M, Y, PC, PM, GY, PGY, R, B, + CO
PRINTER SPECS	
Print Head	PF-10 (1)
Colours	Photo Black, Matte Black, Cyan, Magenta, Yellow, Photo Cyan, Photo Magenta, Gray, Photo Gray, Red, Blue, Chroma Optimizer
Ink Tank Shipped with Printer	12 Tanks: PRO-6100 (330 ml Tank, Each Colour) PRO-4100 (330 ml Tank, Each Colour) PRO-2100 (160 ml Tank, Each Colour)
Hard Disk Capacity	500 GB
Printer Memory	3 GB
Printer Stand	Standard
Display	4.3" Colour LCD Touch-Screen
Size/Weight (with basket open)	PRO-6100: 46.0" (H) x 78.7" (W) x 38.7" (D)/Approximately 368 lb. PRO-4100: 46.0" (H) x 62.7" (W) x 38.7" (D)/Approximately 271 lb. PRO-2100: 46.0" (H) x 43.7" (W) x 38.7" (D)/Approximately 223 lb.
MEDIA	
Media Feed	Front-Loading Roll Feed: One Roll, Front Output Front-Loading Manual Feed: Front Loading, Front Output
Media Width	PRO-6100: 8" - 60" (Cut-Sheet and Roll) PRO-4100: 8" - 44" (Cut-Sheet and Roll) PRO-2100: 8" - 24" (Cut-Sheet and Roll)
Minimum Media Length	8"
Maximum Print Length*	59' (Roll Paper) 63" (Cut-Sheet)
Borderless Printing Widths	Custom roll width 6" - 60" (max width depending on printer) with micro margin technology
Media Thickness	.07 mm8 mm
Media Core Sizes	2" or 3" Core (with Supplied Adaptor)
Printable Margins	Roll Paper: Top: 3 mm; Bottom: 3 mm; Side: 3 mm Borderless: Top: 0mm; Bottom: 0mm; Sides: 0mm Cut-Sheet: Top: 3 mm; Bottom: 20 mm; Side: 3 mm
Maximum Media Roll (Outer Diameter)	6.7" (170 mm)

MEDIA CONTINUED	
Fine Art Media	Photo Paper Pro Premium Matte, Fine Art Natural, German Etching by Hahnemühle, Fine Art Bright White, Artistic Satin Canvas, Artistic Matte Canvas, Water Resistant Matte Canvas, Fine Art Photo Rag by Hahnemühle, Fine Art Enhanced Velvet, Premium Fine Art Smooth, Polished Rag Silk
Photographic/Glossy Paper	Photo Paper Pro Premium Platinum, Photo Paper Pro Luster, Satin Photo Paper, Glossy Photo Paper, Premium RC Photo Matte, Premium RC Photo Luster, Premium Glossy Photographic Paper, Premium Semi-Glossy Photographic Paper, Premium Metallic PhotoGloss
	For a complete listing, please visit www.usa.canon.com/consumables
GENERAL	
Interfaces	Hi-Speed USB, 10/100/1000Base-T/TX, Wireless LAN (IEEE 802.11 b/g/n)**
Printer Language	Swift Graphic Raster (SGRaster)
Recommended Operating Environment	Temperature: 59° - 86° F (15 - 30 C°), Humidity: 10 - 80% (No Condensation)
Power Supply	AC 100-240 V (50 - 60 Hz)
Power Consumption	PRO-6100 Maximum: 103W or Less PRO-4100 Maximum: 112W or Less PRO-2100 Maximum: 88 W or Less Standby: 3.6 W or Less Power Off: 0.5 W or Less
Printing Software	imagePROGRAF Printer Driver, Professional Print & Layout,† Free Layout Plus, PosterArtist Lite††
Optional Software	PosterArtist
OS Compatibility	32-bit: Windows® Vista/7/8/8.1/10 64-bit: Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008 R2, Windows® Server 2012/2012R, Windows® Server 2016, Windows® Server 2019 Mac: (OS X 10.10.5~OS 10.11), (OS 10.12~Mac OS 10.14)
Utilities	Accounting Manager, Device Management Console, Media Configuration Tool, Quick Utility Toolbox
User-Replaceable Items	Print Head (PF-10) Maintenance Cartridge (MC-30) Rotary Cutter (CT-07)
Options	PRO-6100: Roll Holder Set (RH2-66) PRO-4100: Multifunction Roll System (RU-43)

- \* The maximum printable length varies, depending on the application, OS, and RIP used.
- \*\* Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

Roll Holder Set (RH2-46) PRO-2100: Multifunction Roll System (RU-23) Roll Holder Set (RH2-29)

- For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
- † Professional Print & Layout software is compatible with Adobe Photoshop CC 2015-CC 2019, Adobe Photoshop Lightroom V6.X, CC 2015, Classic CC, Photoshop Elements 15, 2018, 2019, and Canon Digital Professional 4.92 or later.
- †† PosterArtist Lite is only available with the PRO-2100 and PRO-4100 printers.

















